

What Science Can Tell Us 4: additional material

In addition to the recommended reading listed in the book, the authors recommend the following:

Chapter 1.2. Consumption of renewable energy and wood fuels in the European Union

[Directive 2009/28/EC of the European Parliament and of the Council of 23 April 2009 on the promotion of the use of energy from renewable sources and amending and subsequently repealing Directives 2001/77/EC and 2003/30/EC \(Text with EEA relevance\).](#)

[Eurostat Statistics Database/Energy.](#)

[The UNECE/FAO Forestry and Timber Section, Joint Wood Energy Enquiry.](#)

Chapter 3. From biomass to feedstock

AEA Energy & Environment 2008. [Biomass Environmental Assessment Tool Version 2 User Guide.](#)

Andersson, G., Asikainen, A., Björheden, R., Hall, P.W., Hudson, J.B., Jirjis, R., Mead, D.J., Nurmi, J. and Weetman, G.F. 2002. [Production of forest energy. Chapter 3. Bioenergy from sustainable forestry: Guiding principles and practise.](#) Kluwer Academic Publishers. Pp. 49-123.

Anerud, E. 2012. Stumps as fuel – the influence of handling method on fuel quality. Doctoral Thesis, Swedish University of Agricultural Sciences, Uppsala.

Asikainen, A. 2012. Forest biomass in the EU - how much is available and how to mobilize the potential? IEA Bioenergy Task 43 Workshop: “Mobilizing Sustainable Supply Chains for forest biomass for energy” February 21st 2012, Charleston, USA.

Asikainen, A. and Anttila, P. 2009. Jatkuuko metsäenergian käytön kasvu ? (Will the growth of forest energy use continue?) Metsäsektorin suhdannekatsaus 2009-2010. p. 55-57.

Asikainen, A., Laitila, J., Parikka, H., Leinonen, A., Virkkunen, M., Heiskanen, V-P., Ranta, T., Heinimö, J., Kässi, t., Ojanen, V. and Pakarinen, V. 2007. EU’s forest fuel resources, energy technology market and international bioenergy trade. (In Finnish with English abstract). In: Jussila, J. (Eds.). Ilmastomuutoksen hillinnän liiketoimintamahdollisuudet. ClimBus –teknologiaohjelman katsaus 2007. Teknologia katsaus 211: 188-204.

Asikainen, A., Liiri, H., Peltola, S., Karjalainen, T. and Laitila, J. 2008. [Forest energy potential in Europe \(EU 27\).](#) Metlan työraportteja /Working Papers of the Finnish Forest Research Institute 69. 33 p. ISBN 978-951-40-2080-3.

Asikainen, A., Ranta, T., Laitila, J. and Hämäläinen, J. 2001. Hakkuutähdehakkeen kustannustekijät ja suurimittakaavainen hankinta (Cost factors and large scale procurement of logging residue chips). Research Notes 131. Faculty of Forestry, University of Joensuu. 107 p.

Athanassiadis, D., Lindroos, O. and Nordfjell, T. 2011. [Pine and spruce stump harvesting productivity and costs using a Pallari KH 160 stump lifting tool.](#) Scandinavian Journal of Forest Research 26 (5):

437-455.

Caputo, A.C., Palumbo, M., Pelagagge, P.M. and Scacchia, F. 2005. [Economics of biomass energy utilization in combustion and gasification plants: Effects of logistic variables](#). Biomass and Bioenergy 28(1): 35-51.

Caserini S., Fraccaroli A., Monguzzi A., Moretti M. and Angelino E. 2008 Estimating the consumption of firewood for residential use in Italy. APA-ARPAT Report, Milan, Italy. 60 pp. ISBN 978-88-448-0346-9.

Gan, J. and Smith, C.T. 2006. [A comparative analysis of woody biomass and coal for electricity generation under various CO2 emission reductions and taxes](#). Biomass and Bioenergy 30: 296-303.

Enström, J. 2010. Increased railway transport of forest fuel. Efficient forest fuel supply systems Composite report from a four year R&D programme 2007-2010. Pp. 78-79.

Heikkilä, J., Laitila, J., Tantt, V., Lindblad, J., Sirén, M., Asikainen, A., Pasanen, K. and Korhonen, K.T. 2005. [Karsitun energiapuun korjuuvaihtoehdot ja kustannustekijät](#). Working papers of the Finnish Forest Research Institute 10. 56 p.

Hetemäki, L. 2008. Puu energiaksi vai paperiksi? Bioenergia 6/2008: 9-11.

Hughes, E. 2000. [Biomass cofiring: Economics, policy and opportunities](#). Biomass and Bioenergy 19(6): 457-465.

Ikonen, T. Asikainen, A., Prinz, R., Stupak, I., Smith, T. and Röser, D. Economic sustainability of biomass feedstock supply. IEA Task 42. Technical report. TR 2013:01. 59 p.

Jylhä, P., Väätäinen, K. and Asikainen, A. 2007. Korjuri osaksi puunkorjuukalustoa. (Harwarder as a part of wood harvesting fleet) Julkaisussa: Kariniemi, A. (toim.). Kehittyvä puuhuolto 2007. 14.-15.2.2007. Jyväskylä. Seminaarijulkaisu. Metsäteho Oy, 87-91 p.

Kärhä, K. 2007. Metsähakkeen tuotantokalusto vuonna 2007 ja tulevaisuudessa. English summary: Production machinery for forest chips in Finland in 2007 and in the future. Metsätehon katsaus 28. 4 p.

Kimsey, Jr., M., Page-Dumroese, D. and Coleman, M. 2011. Assessing Bioenergy Harvest Risks: Geospatially Explicit Tools for Maintaining Soil Productivity in Western US Forests. Forests 2, 797-813.

Laitila, J., Ranta, T. and Asikainen, A. 2008. Productivity of stump harvesting for fuel. International Journal of Forest Engineering 19(2): 37-47.

Lunnan, A., Vilkriste, L., Wilhelmsen, G., Mizaraite, D., Asikainen, A. and Röser, D. 2008. Policy and economic aspects of forest energy utilization. In Röser, D., Asikainen, A., Raulund-Rasmussen, K. and Stupak, I. 2008 (Editors). Sustainable use of forest biomass for energy. A synthesis with focus on the Baltic and Nordic region. Managing Forest Ecosystems 12:197-234.

- Moffat, A.J., Nisbet, T.R. and Nicoll, B. 2011. Environmental effects of stump and root harvesting. Forestry Commission Research Note FCRN009, Edinburgh.
- Möller, P. and Nielsen, B.S. 2007. Analysing transport costs of Danish forest wood chip resources by means of continuous cost surfaces. *Biomass and Bioenergy* 31, 291-298.
- NCASI. 2006. Energy and Greenhouse Gas Impacts of Substituting Wood Products for Non-Wood Alternatives in Residential Construction in the United States. NCASI Technical Bulletin No. 925. NCASI, Research Triangle Park, NC.
- Richardson, J., Björheden, R., Hakkila, P., Lowe, A. & Smith, C.T. 2002. Bioenergy from forestry. Guiding principles and practice. *Forestry Sciences*, Vol. 71. Kluwer Academic Publishers, Dordrecht, Boston, London. 364 p.
- Roos, A., Graham, R.L., Hektor, B. & Rakos, C. 1999. Critical factors to bioenergy implementation. *Biomass and Bioenergy* 17(2): 113-126.
- Schroeder, R., Jackson, B. & Ashton, S. 2007. Biomass transportation and delivery. In: Hubbard, W., Biles, L., Mayfield, C. & Ashton, S. (Eds.). *Sustainable forestry for bioenergy and bio-based products: trainers curriculum notebook*. Athens, GA: Southern Forest Research Partnership, Inc., Pages 145–148.
- Shabani, N., Akhtari, S. & Sowlati, T. 2013. Value chain optimization of forest biomass for bioenergy production: A review. *Renewable and Sustainable Energy Reviews* 23: 299–311.
- Spinelli R., Magagnotti N., Picchi G. 2012 - A supply chain evaluation of slash bundling under the conditions of mountain forestry. *Biomass and Bioenergy* 36: 339-345.
- Spinelli R., Magagnotti N. 2011 – The effects of introducing modern technology on the financial, labour and energy performance of forest operations in the Italian Alps. *Forest Policy and Economics* 13: 520-524.
- Spinelli R., Magagnotti N., Picchi G. 2009. Complete tree harvesting as an alternative to mulching in early thinnings. *Forest Products Journal* 59:79-84.
- Tan, K.T., Lee, K.T. & Mohamed, R. 2008. Role of energy policy in renewable energy accomplishment: The case of second-generation bioethanol. *Energy Policy* 36(9): 3360-3365.
- Verkerk, P.J., Anttila, P., Eggers, J., Lindner, M. & Asikainen, A. 2011. The realisable potential supply of woody biomass from forests in the European Union. *Forest Ecology and Management* 261(11): 2007-2015.
- Viana, H., Cohen, W.B., Lopes, D., & Aranha, J. 2010. Assessment of forest biomass for use as energy. GIS-based analysis of geographical availability and locations of wood-fired power plants in Portugal. *Applied Energy* 87, 2551-2560.
- Vogt, K., Andreu, M.G., Vogt, D.J., Sigurdardottir, R., Edmonds, R.L., Schiess, P. & Hodgson, K. 2005. Societal values and economic return added for forest owners by linking forests to bioenergy

production. *Journal of Forestry* 103: 21-27.

Welke, S. 2006. Wood-ethanol in Canada: Production technologies, wood sources and policy incentives. Sustainable Forest Management Network, Research Note Series No. 22. Available at: <http://sfmnetwork.ca>. [Cited 3 Jul 2008].

Wigren, C. 1992. Studie av bränsleanpassad avverkning med engreppsskördare hos Mellanskog. Skogsarbeten resultat 8. 4 p.

4.2 Potential of long rotation forestry (LRF)

Asikainen, A., Liiri, H., Peltola, S., Karjalainen, T. and Laitila, J. 2008. [Forest Energy Potential in Europe \(EU27\)](#). Working Papers of the Finnish Forest Research Institute (69).

Bouget, C., Lassauce, A. and Jonsell, M. 2012. [Effects of fuelwood harvesting on biodiversity – a review focused on the situation in Europe](#). *Can. J. For. Res* 42 (8): 1421–1432.

Bringezu, S., Schütz, H., Arnold, K., Bienge, K., Borbonus, S., Fishedick, M., Geibler Von, J., Kristof, K., Ramesohl, S., Ritthoff, M., Schlippe, H., Frondel, M., Janssen-Timmen, R. and Vance, C. 2008. Nutzungskonkurrenzen bei Biomasse. Auswirkungen der verstärkten Nutzung von Biomasse im Energiebereich auf die stoffliche Nutzung in der Biomasse verarbeitenden Industrie und deren Wettbewerbsfähigkeit durch staatlich induzierte Förderprogramme.

Burger, H. 1951. Holz, Blattmenge und Zuwachs. Die Tanne. XI. Mitteilung. – Mitteilungen der Schweizerischen Anstalt für das Forstliche Versuchswesen 27: 247–285.

Burger, H. 1953. Holz, Blattmenge und Zuwachs: Fichten im gleichaltrigen Hochwald. Mitt. Schweiz. Anst. Forstl. Versuchsw., 29, 38–130.

Corbyn, I., Crockford, K. and Savill, P. 1988. [The estimation of the Branchwood component of broadleaved woodlands](#). *Forestry* 61 (3): 193–204.

Dieter, M., Englert, H. and Klein, M. 2001. Abschätzung des Rohholzpotentials für die energetische Nutzung in der Bundesrepublik Deutschland. Inst. für Ökonomie.

Ecke, F., Lofgren, O. and Sorlin, D. 2002. [Population dynamics of small mammals in relation to forest age and structural habitat factors in northern Sweden](#). *Journal of Applied Ecology* 39 (5): 781–792.

Eggers, T. 2002. The impact of manufacturing and utilization of wood products on the European carbon budget. Master thesis. Göttingen. 90 p. [Also published as EFI Technical Report 9](#)

Fritsche, U. R., Dehoust, G., Jenseit, W., Hünecke, K., Rausch, L., Schüler, D., Wiegmann, K., Heinz, A., Hiebel, M., Ising, M., Kabasci, S., Unger, C., Thrän, D., Fröhlich, D., Scholwin, M., Reinhardt, G., Gärtner, S., Patyk, A., Baur, F., Bemmann, A., Gross, B., Heib, M., Ziegler, C., Flake, M., Schmehl, M. and Simon, S. 2004. Stoffstromanalyse zur nachhaltigen energetischen Nutzung von Biomasse. Endbericht.

FOREST EUROPE, UNECE and FAO. 2011. [State of Europe's Forests 2011. Status and Trends in Sustainable Forest Management in Europe](#). Ministerial Conference on the Protection of Forests in

Europe; Forest Europe Liaison Unit Oslo. 337 p.

Heikkilä, J., Sirén, M. and Äijälä, J.O. 2007. [Management alternatives of energy wood thinning stands](#). Biomass and Bioenergy 31 (5): 255–266.

Heikkilä, J., Sirén, M., Ahtikoski, A., Hynynen, J., Sauvula, T. and Lehtonen, M. 2009. [Energy Wood Thinning as a Part of the Stand Management of Scots Pine and Norway Spruce](#). Silva Fennica 43 (1): 129–146.

Hepperle, F. 2010. Prognosemodell zur Abschätzung des regionalen Waldenergieholzpotenzials auf der Grundlage forstlicher Inventur- und Planungsdaten unter Berücksichtigung ökologischer, technischer und wirtschaftlicher Nutzungseinschränkungen. Dissertation. Freiburg (Breisgau). 178 p.

Jacobsen, C., Rademacher, P., Meesenburg, H. and Meiwes, K. 2003. Gehalte chemischer Elemente in Baumkompartimenten. Literaturstudie und Datensammlung. Göttingen.

Kaltschmitt, M., Merten, D., Fröhlich, N. and Nill, M. 2003. Energiegewinnung aus Biomasse. Externe Expertise für das WBGU-Hauptgutachten 2003" Welt im Wandel: Energiewende zur Nachhaltigkeit. Springer Verlag, Berlin-Heidelberg-New York.

Kappler, G. 2007. Systemanalytische Untersuchung zum Aufkommen und zur Bereitstellung von energetisch nutzbarem Reststroh und Waldrestholz in Baden-Württemberg. Dissertation. Freiburg (Breisgau).

Karjalainen, T., Asikainen, A., Ilavsky, J., Zamboni, R., Hotari, K.-E. and Röser, D. 2004. [Estimation of Energy Wood Potential in Europe](#). Working Papers of the Finnish Forest Research Institute 6.

Lechner, H. 2011. Massenfall und Nettoflächenerlöse bei der Energieholzbereitstellung. Auswirkungen einer Intensivierung der Eingriffsstärke und einer Modifikation der Sortimentsgestaltung auf Massenfall und Nettoflächenerlöse untersucht auf der Grundlage von Fallstudien für verschiedene waldbauliche Ausgangssituationen. Dissertation. Freiburg (Breisgau). 230 p.

Mantau, U. and Saal, U. 2010. Material uses. In: Mantau, U. (ed.). [EUwood - Real potential for changes in growth and use of EU forests](#). Final report. Pp. 35–42, Hamburg, Germany.

Muukkonen, P. 2007. [Generalized allometric volume and biomass equations for some tree species in Europe](#). Eur J Forest Res 126 (2): 157–166.

Nisbet, T. R., Dutch, J. and Moffat, A. J. 1997. [Whole-tree harvesting. A guide to good practice](#). Forestry Authority, Edinburgh. iv, 12.

Polley, H., Hennig, P. and Schwitzgebel, F. 2004. [Ergebnisse und Methoden der zweiten Bundeswaldinventur: Holzvorrat, Holzzuwachs und Holznutzung](#). 15 p.

Pyttel, P. 2012. Aspekte einer nachhaltigen Bewirtschaftung durchgewachsener Niederwälder. Forstliche Versuchs- und Forschungsanstalt Baden-Württemberg, Freiburg.

Repola, J., Ojansuu, R. and Kukkola, M. 2007. [Biomass functions for Scots pine, Norway spruce and birch in Finland](#). Working Papers of the Finnish Forest Research Institute 53.

Röser, D., Asikainen, A., Stupak, I. and Pasanen, K. 2008. Forest energy resources and potentials. In: Röser, D., Asikainen, A., Raulund-Rasmussen, K. & Stupak, I. (eds.): [Sustainable use of forest biomass for energy. A synthesis with focus on the Baltic and Nordic region](#): 9–28. Springer, Dordrecht, the Netherlands.

Schulze, E.-D. and Schulze, I. 2013. Wer will was vom Wald? Umwelt- und Klimaverträglichkeit bei steigender Inanspruchnahme. AFZ - der Wald 68 (6): 7–10.

Spiecker, H.; Mielikäinen, K.; Köhl, M.; Skovsgaard, J. (eds.) 1996. [Growth Trends in European Forests: Studies from 12 Countries](#). EFI Research Report No. 5, Berlin: Springer-Verlag, 372 p.

Straub, C. & Koch, B. 2011. [Enhancement of bioenergy estimations within forests using airborne laser scanning and multispectral line scanner data](#). Biomass and Bioenergy 35 (8): 3561–3574.

Stupak, I., Asikainen, A., Röser, D. & Pasanen, K. 2008. Review of recommendations of forest energy harvesting and wood ash recycling. In: Röser, D., Asikainen, A., Raulund-Rasmussen, K. & Stupak, I. (Edit.): [Sustainable use of forest biomass for energy. A synthesis with focus on the Baltic and Nordic region](#): 155–197. Springer, Dordrecht, the Netherlands.

Stupak, I., Lattimore, B., Titus, B. D. and Tattersall Smith, C. 2011. [Criteria and indicators for sustainable forest fuel production and harvesting: A review of current standards for sustainable forest management](#). Biomass and Bioenergy 35 (8): 3287–3308.

Verkerk, P. J., Lindner, M., Zanchi, G. and Zudin, S. 2011. [Assessing impacts of intensified biomass removal on deadwood in European forests](#). Ecological Indicators 11 (1): 27–35.

Wiensczyk, A. 1992. [A brief review of the issues surrounding full tree harvesting](#). Ministry of Natural Resources, Northwestern Ontario Forest Technology Development Unit, Thunder Bay, Ont. 12 p.

Wilpert, K. von, Bösch, B., Bastian, P., Zirlewagen, D., Hepperle, F., Holzmann, S., Puhmann, H., Schäffer, J., Kändler, G. & Sauter, H. (2011): [Biomasse-Aufkommensprognose und Kreislaufkonzept für den Einsatz von Holzaschen in der Bodenschutzkalkung in Oberschwaben](#). Forstliche Versuchs- und Forschungsanst. Baden-Württemberg Abt. Boden und Umwelt, Freiburg.

Zianis, D., Muukkonen, P., Mäkipää, R. and Mencuccini, M. 2005. [Biomass and stem volume equations for tree species in Europe](#). Finnish Society of Forest Science, Finnish Forest Research Institute, Helsinki, Finland. 63 p.